



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/762,386	01/22/2004	Selcuk Denzligil	C 2769 US	4883
23657	7590	11/02/2007	EXAMINER VENKAT, JYOTHSNA A	
COGNIS CORPORATION PATENT DEPARTMENT 300 BROOKSIDE AVENUE AMBLER, PA 19002			ART UNIT	PAPER NUMBER
			1615	
			MAIL DATE	DELIVERY MODE
			11/02/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10762386	1/22/04	DENZLIGIL, SELCUK	C 2769 US

COGNIS CORPORATION
PATENT DEPARTMENT
300 BROOKSIDE AVENUE
AMBLER, PA 19002

EXAMINER

JYOTHSNA A. VENKAT Ph. D

ART UNIT	PAPER
1615	20071026

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on 8/16/07 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): In response to election of species, applicants did not elect a single disclosed species but argue that all the species share the common characteristics that they are difficult to solubilize in an aqueous system. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

JYOTHSNA A VENKAT Ph. D
Primary Examiner
Art Unit: 1615